





ZP FRAME

LPTENT®




- Grooved profile Ø50mm (patented)
- High-strength anodized aluminum
- "Effortless" ergonomic systems

Outer leg profile




Thickness 2mm

Inner leg profile



Thickness 1,8mm

scissors



Thickness 1,2mm




CTS Certified
(Wind < 100km/h)



10 years
Warranty




30s
setup



Valance height
50cm



Inside clearance:
De 1,80m à 2m



1. "Effortless" corner locking handle
2. "Easy-push" ergonomic button (height adjustment)
3. Sliding wall system within the profile
4. Integrated anchoring ring
5. Fiberglass-injected connection piece
6. Reinforced scissors
7. Sliding curtain wall on the upper part
8. Roll-up wall on the lower part (100% airtight)

Dimension & weight

ZP330 (3x3m), **ZP440** (4x4m), **ZP550** (5x5m)





WEIGHT (en kg)

	kg
ZP330	38
ZP440	45
ZP550	77,5

DIMENSIONS (en cm)

	A	B	C	D	E	F	G	H
ZP330	37	37	160	309	309	255	378	12,5
ZP440	37	37	208	403	403	255	427	13,5
ZP550	60	60	160	496,5	496,5	255	436	40

ZP345 (3x4.5m), **ZP460** (4x6m)





WEIGHT(en kg)

	kg
ZP345	48
ZP460	57

DIMENSIONS (en cm)

	A	B	C	D	E	F	G	H
ZP345	49	37	160	458	309	255	378	12,5
ZP460	49	37	208	599,5	403	255	427	13,5

ZP360 (3x6m), ZP480 (4x8m)





WEIGHT (en kg)

	kg
ZP360	67
ZP480	78

DIMENSIONS (en cm)

	A	B	C	D	E	F	G	H
ZP360	62	37	160	599	309	255	378	12,5
ZP480	62	37	208	796,5	403	255	427	13,5

ZP6H HEXAGONALE (6m)





WEIGHT (en kg)

	kg
ZP6H	86

DIMENSIONS (en cm)

	A	B	C	D	E	F	G	H
ZP6H	60	70	165	304	304	255	414	3

ZP660 (6x6m)



WEIGHT (en kg)

	kg
ZP660	98

DIMENSIONS (en cm)

	A	B	C	D	E	F	G	H
ZP660	60	60	160	600	600	255	448	3

Packaging

	ZP330	ZP345	ZP360	ZP440	ZP460	ZP480(6F)	ZP550	ZP660	ZP6H
Box size	162X37	162X37	162X37	210X37	210X37	210X37	162X61	162X62	166X70
Box size	X35	X49	X62	X35	X49	X63	X61	X62	X60
Volume (m3)	0,21	0,29	0,37	0,27	0,38	0,49	0,59	0,6	0,69
Overall weight	41	51	70	49	62	84	81,5	106	106

More information on the ZP range



Have a look on our tutorials

